



IRONMAX PRO®



Streutabellen für Rauch AXIS-M 30.1 / 40.1 und 30.1W / 40.1W

		12 m	15 m	16 m	18 m	18 m							
		S 2	S 2	S 2	S 2	S 4							
	1/min	450	540	540	540	450							
		50 / 50	50 / 50	50 / 50	50 / 50	50 / 50							
		2	4	4	5	4							
		K 12,5	K 12,5	K 12,5	M 12,5	L 13							
	1/min	420	540	540	540	450							
		K 12,5	O 12,5	O 12,5	--	--							
	1/min	450	540	540	--	--							
kg / ha													
		km/h		km/h		km/h		km/h		km/h			
		8	10	12	8	10	12	8	10	12	8	10	12
1		2.5	2.0	2.0	2.8	2.3	3.3	2.6	2.2	2.9	2.3	2.9	2.3
2		4.4	3.5	2.9	3.5	2.8	6.7	7.5	6.3	6.7	5.6	2.9	2.3
3					8.0	6.7						6.7	5.6

		20 m	21 m	24 m	24 m	25 m							
		S 4	S 4	S 6	S 4 + Z 14 **	S 6							
	1/min	600	600	540	540	540							
		50 / 50	50 / 50	50 / 50	50 / 50	50 / 50							
		5	5	5,5	1,5	5,5							
		O 13	O 13	P 13	Q 13	P 13							
	1/min	600	600	540	540	540							
		--	--	U 13,5	V 13,5	U 13,5							
	1/min	--	--	540	540	540							
kg / ha													
		km/h		km/h		km/h		km/h		km/h			
		8	10	12	8	10	12	8	10	12	8	10	12
2		2.6	2.1	2.5	2.5	2.0	2.2	2.2	2.2	2.1	2.1	4.8	4.0
3		7.5	6.0	5.0	7.1	5.7	4.8	6.3	5.0	4.2	6.3	5.0	4.2
4													8.0



Streutabellen für Rauch AXIS-M 30.1 / 40.1 und 30.1W / 40.1W



		25 m	27 m	27 m	28 m	28 m										
		S 4 + Z 14 **	S 6	S 4 + Z 14 **	S 6	S 4 + Z 14 **										
	1/min	540	540	540	540	540										
		50 / 50	50 / 50	50 / 50	50 / 50	50 / 50										
		1,5	7	2,5	7	2,5										
		Q 13	R 13	S 13	R 13	S 13										
	1/min	540	540	540	540	540										
		V 13,5	--	--	--	--										
	1/min	540	--	--	--	--										
kg / ha																
		km/h			km/h			km/h			km/h			km/h		
		8	10	12	8	10	12	8	10	12	8	10	12	8	10	12
2		2.1														
3		6.0	4.8	4.0	5.6	4.4	3.7	5.6	4.4	3.7	5.4	4.3	3.6	5.4	4.3	3.6
4				8.0			7.4			7.4			7.1			7.1

		30 m	30 m	32 m	32 m	33 m										
		S 6	S 8	S 8	S 6 + Z 16 **	S 8										
	1/min	600	540	650	540	650										
		50 / 50	50 / 50	50 / 50	50 / 50	50 / 50										
		8	8	8,5	2	8,5										
		U 13	T 13	U 13,5	U 13,5	U 13,5										
	1/min	600	540	650	540	650										
		--	--	--	--	--										
	1/min	--	--	--	--	--										
kg / ha																
		km/h			km/h			km/h			km/h			km/h		
		8	10	12	8	10	12	8	10	12	8	10	12	8	10	12
3		5.0	4.0	3.3	5.0	4.0	3.3	4.7	3.8	3.1	4.7	3.8	3.1	4.5	3.6	3.0
4			8.0	6.7		8.0	6.7		7.5	6.3		7.5	6.3		7.3	6.1
5									8.0	8.0		8.0	8.0			7.7



IRONMAX PRO®



Streutabellen für Rauch AXIS-M 30.1 / 40.1 und 30.1W / 40.1W

	33 m			35 m			35 m			36 m			36 m			
	S 6 + Z 16 **			S 6 + Z 16 **			S 8 + Z 18 **			S 6 + Z 16 **			S 8 + Z 18 **			
	540			650			650			650			650			
	50 / 50			50 / 50			50 / 50			50 / 50			50 / 50			
	2			3			1			3			1			
	U 13,5			V 13,5			V 13,5			V 13,5			V 13,5			
	540			650			650			650			650			
	--			--			--			--			--			
	--			--			--			--			--			
kg / ha																
		km/h			km/h			km/h			km/h			km/h		
		8	10	12	8	10	12	8	10	12	8	10	12	8	10	12
3		4.5	3.6	3.0	4.3	3.4	2.9	4.3	3.4	2.9	4.2	3.3	2.8	4.2	3.3	2.8
4			7.3	6.1		6.9	5.7		6.9	5.7		6.7	5.6		6.7	5.6
5				7.7			7.3			7.3			7.1			7.1

Weitere Informationen finden Sie unter www.rauch.de

www.agrar.bayer.de/IronmaxPro